

# INDEX MAPS.

## T.33N, R. 9 E. 2<sup>nd</sup> Mer.

	170		170		169		169		168		168	
172	6	196	5	190	4	186	3	182	2	181	1	166
	196		195		190		186		180		181	
172	7	195	8	190	9	185	10	180	11	179	12	166
	In Lake		194		189		185		180		178	
171 172	18	194	17	189	16	185	15	179	14	178	13	165 167
	194		193		189		184		177		178	
171 173	19	193	20	188	21	184	22	177	23	175	24	165 167
	193		192		188		183		176		174	
171 173	30	192	29	187	28	183	27	176	26	174	25	165 167
	191		191		187		182		176		174	
170 173	31	191	32	187	33	182	34	175	35	173	36	165 167
	164		164		164		163		163		163	

Meanders 196

Meanders 196

## T.34N, R. 9 E. 2<sup>nd</sup> Mer.

	216		216		215		215		215		214	
218	6	244	5	238	4	234	3	229	2	225	1	212
	244		244		238		233		229		225	
218 219	7	243	8	237	9	233	10	228	11	224	12	212 213
	242		243		237		233		228		224	
218 219	18	242	17	237	16	232	15	228	14	223	13	212 213
	242		241		236		232		227		223	
217 219	19	241	20	236	21	231	22	227	23	222	24	212 213
	240		240		235		231		227		222	
217 219	30	240	29	235	28	230	27	226	26	221	25	211 214
	239		239		235		230		226		221	
217 220	31	239	32	234	33	230	34	225	35	220	36	211 214
	211		210		210		209		209		209	

Meanders 245

Meanders 245

The figures on the lines refer to the page.

Township N. 33 North of Range N. 9 East of the 2<sup>nd</sup> Mer. Indiana 163

South Boundary

West On South Boundary of Sec 36. var. 5.30 E  
 24.68 A Sugar 22 in. diam.  
 40.00 Set a g. Sec post. from which  
 a Beech 15 in. diam. bears N. 24 E. 40 links dist. &  
 a Co 11 " " " N. 39 W. 37 " "  
 50.22 A Poplar 24 " "  
 80.00 Set a post cor. to Sec. 35 & 36 from which  
 a Blue Ash 19 in. diam. bears N. 82 E. 62 links dist. &  
 a Beech 20 " " " N. 70 W. 18 " "  
 Land level & no rate, Timber Sugar. Beech & Ash,  
 Underg<sup>th</sup> Spice. Sugar. & Chondrod.

West On South Boundary of Sec 35.  
 19.80 A W. Oak 30 in. diam.  
 26.50 Enter Willow Swamp.  
 37.50 Leave same  
 40.00 Set a g. Sec post from which  
 an Elm 21 in. diam. bears N. 53 E. 9 links dist. &  
 a W. Oak 12 " " " N. 80 W. 39 " "  
 54.71 A Beech 20 " "  
 68.23 A Hickory 30 " "  
 80.00 Set a Post Cor. to Sec. 34 & 35 from which  
 a Beech 15 in. diam. bears N. 54 E. 14 links dist. &  
 a Co 15 " " " N. 59 W. 20 " "  
 Land as before

West On South Boundary of Sec. 34.  
 29.76 A Burr Oak 18 in. diam.  
 40.00 Set a g. Sec. post from which  
 a Beech 24 in. diam. bears N. 54 E. 14 links dist. &  
 a Co 5 " " " N. 46 W. 37 " "  
 68.60 A Beech 28 " "  
 76.33 Set a post on East Bank of Lake from which  
 a Red Bud 5 in. diam. bears N. 65 E. 16 links dist. &  
 a Syc 30 " " " N. 64 E. 46 " "



## T 33 N. R. 9 E. Ind. Ter. Indiana

50.00 Corner of Secs 33 & 34 in Lake  
Land except Lake as before.

71.25 On South Boundary of Sec 33  
20.50 Set a Post on the West Bank of Lake  
This Lake was passed by an Offset 35 chains North.  
25.50 Leave the Swamp.  
37.29 A Beech 15 in. diam.  
40.00 Set a q. the post. from which  
a Beech 18 in. diam. bears N. 8 E. 19 links dist &  
a Do 24 " " " N. 64 W. 38 " "  
63.40 A W. Oak 21 " "  
80.00 A B. Ash 36 in. diam. is cor. to Secs 32 & 33  
instead of Lake.  
Land rolling and rate. Timber. Beech. Oak  
and Ash. Underg<sup>th</sup> Beech & Ironwood.

71.25 On South Boundary of Sec 32.  
10.00 Enter Millen Swamp  
24.00 Leave same  
30.00 A Beech 18 in. diam.  
32.70 A Trail S.E.  
40.00 Set a q. the post. from which  
a Poplar 15 in. diam. bears N. 77 E. 26 links dist &  
a Beech 27 " " " N. 12 W. 15 " "  
63.95 A Sycamore 14 in. diam.  
64.00 To Millen Swamp.  
71.25 Leave same  
79.50 Enter Mt Prairie.  
80.00 Set a Post cor. to Secs 31 & 32 from which  
a W. Oak 24 in. diam. bears N. 82 E. 1.77 links dist &  
a Do 18 " " " N. 60 E. 68 " "  
Land be as before

71.25 On South Boundary of Sec 31  
22.00 Leave Prairie.

23. 56 An Ash pin 16 in. diam?  
 40. 00 Set a g. Sec post from which  
 a W. Oak 24 in. diam. bears N. 29 E. 52 links dist, &  
 a B. Oak 24 " " " N. 84 W. 49 " "  
 42. 50 Enter W. + Maple Swamp.  
 62. 36 Set a Post on the E. Bank of Lake from which  
 a Maple 14 in. diam. bears S. 4 E. 48 links dist &  
 a Do 12 " " " S 3 E 50 " "  
 80. 00 Set a Temp. Post cor. to Towns 32 & 33 Ranges 8 & 9.  
 Land Rolling 3<sup>rd</sup> rate. except the swamp.

East Boundary Sur. 5. 35. E

- North On Random on East Boundary of Sec 30  
 35. 00 Enter S Prairie & Willow  
 40. 00 Set a Temp. g. Sec. post  
 46. 00 Leave the Swamp.  
 80. 00 Set Temp. g. Sec. post cor. to Sec. 25 & 30  
 Land Rolling 2<sup>nd</sup> rate. Timber Oak. Ash & Beech  
 Underg<sup>th</sup> Sugar. Ironwood & Spice.

- North On Random on East Boundary of Sec 25  
 5. 55 W. Wayne & Chicago Road. Course S E.  
 25. 00 Enter Mt Prairie  
 40. 00 Set a Temp. g. Sec post  
 41. 50 Leave Mt Prairie  
 80. 00 Set a Temp. Post cor. to Sec. 24 & 25.  
 Land &c. as before

- North On Random On East Boundary of Sec 24  
 40. 00 Set a Temp. g. Sec. post.  
 80. 00 Set a Temp. Post. Cor. to Sec. 13 & 24  
 Land Rolling 2<sup>nd</sup> rate. Timber Beech Oak  
 and Hickory. Underg<sup>th</sup> Hickory & Sassafras.

- North On Random On East Boundary of Sec 13.  
 5. 00 Enter Willow Swamp.

## S 33. N. R. 9 E. 2nd Mer. Indiana

13.25 Leave the Swamp  
 40.00 Set a Temp<sup>l</sup> q<sup>r</sup> Sec post.  
 80.00 Set a " Post cor. to Sec<sup>l</sup> 12 & 13  
 Land level 2nd rate. Timber & Underg<sup>th</sup>  
 as before.

North On Random On East Boundary of Sec 12  
 40.00 Set a Temp<sup>l</sup> q<sup>r</sup> Sec post -  
 54.50 A Stream 100 links wide. Course S W.  
 80.00 Set a Temp<sup>l</sup> Post cor. to Sec<sup>l</sup> 1 & 12  
 Land &c as before

North On Random On East Boundary of Sec 1.  
 40.00 Set a Temp<sup>l</sup> q<sup>r</sup> Sec Post  
 50.00 Enter Wet Prairie  
 66.00 Leave same  
 80.50 Intersect the North Boundary 30 links East of  
 the Post.  
 Land Rolling 2nd rate, except Prairie  
 with scattering Oak timber Underg<sup>th</sup> Maple  
 and Chaparrals.

South On True line On East Boundary of Sec 1  
 40.50 Set a q<sup>r</sup> Sec post from which  
 a Chaparral 8 in. diam. bears N. 42 W. 36 links dist &  
 an Ironwood 16 " " " S. 19 W. 38 " "  
 55.64 A Hickory 20 " "  
 80.50 Set a Post cor. to Sec<sup>l</sup> 1 & 12 from which  
 a W. Oak 48 in. diam. bears N. 45 W. 67 links dist &  
 a Do 26 " " " S. 13 W. 55 " "  
 June 26<sup>th</sup> 1829

South On True line On East Boundary of Sec 12  
 27.00 An R. Oak 40 in. diam.  
 40.00 Set a q<sup>r</sup> Sec post from which  
 an Ironwood - in. diam. bears N. 48 W. 22 links dist &

167

T 33. N. R. 9 E. 2nd Mer. Indiana

an Ironwood 6 in. diam. bears S 32 W 27 links dis  
 66. 67 A Beech 22 " "  
 80. 00 Set a Post cor. to Sec. 12 & 13 from which  
 a Cherry 12 in. diam. bears N. 28 W. 87 links dis &  
 an Ironwood 10 " " " S 83 W 23 " "

South On True line On East Boundary of Sec 13  
 16. 87 A W. Oak 20 in. diam.  
 40. 00 Set a q. Sec post from which  
 a Plumbush 4 in. diam. bears S. 7 W. 37 links dis &  
 an Elm 36 " " " N. 77 W 78 " "  
 61. 64 A W. Oak 45 " "  
 80. 00 Set a Post cor. to Sec. 13 & 24 from which  
 a Hickory 14 in. diam. bears N. 45 W. 31 links dis &  
 an Q. Oak 25 " " " S. 27 W 8 " "

South On True line On East Boundary of Sec 24  
 11. 45 A Burr Oak 18 in. diam.  
 40. 00 Set a q. Sec post from which  
 a Cherry 12 in. diam. bears N. 63 W. 15 links dis &  
 an Ironwood 6 " " " S. 49 W. 45 " "  
 61 87 A Burr Oak 24 in. diam.  
 80. 00 Set a Post cor. to Sec. 24 & 25. from which  
 a B. Oak 22 in. diam. bears N. 11 W. 64 links dis &  
 a W. Oak 6 " " " S. 76 W 64 " "

South On True line On East Boundary of Sec 25  
 21. 60 A W. Oak 21 in. diam.  
 40. 00 Set a q. Sec post from which  
 a W. Oak 20 in. diam. bears N. 28 W. 159 links dis &  
 a no other tree near  
 80. 00 Set a Post cor. to Sec. 25 & 36 from which  
 a Beech 17 in. diam. bears N. 38 W. 9 links dis &  
 a Q. 24 " " " S. 72 W. 36 " "

South On True line On East Boundary of Sec 36



## T 33 N. R 9 E 2nd Mer. Indiana

- 21.28 A Poplar 16 in. diam.  
 40.00 Set a g. Sec. post in Mt Swamp &c  
 57.58 A Buck 27 in. diam.  
 80.00 Set a Post cor. to Sec. 1. 6. 31 & 36. (after intersect-  
 ing the South Boundary, 30 links West of Post).  
 and cor. of Towns 32 & 33 North. Ranges 9 & 10 E.  
 from which  
 a Buck 17 in. diam. bears N. 75 E. 32 links dist.  
 &c Do 20 " " " N. 25 W. 28 " "

## North Boundary

- West On South Boundary of Sec 36 T 34 N. R 9 E.  
 9.00 To Sulphur Springs S.W. var. 5-45 E  
 25.00 Enter Mt Prairie  
 35.50 Leave same  
 38.57 A W. Oak 22 in. diam.  
 40.00 Set a g. Sec post from which  
 a W. Oak 24 in. diam. bears N. 52 E. 61 links dist &  
 a Do 17 " " " S. 45 W. 10 " "  
 47.50 A W. Oak 22 in. diam. & Enter Mt Prairie  
 80.00 Picked close to the N & E end of Lake  
 80.00 Set a Post cor. to Sec. 35 & 36 from which  
 an Aspin 14 in. diam. bears S. 25 E. 29 links dist &  
 a Do 7 " " " S. 2 E 50 " "  
 Land rolling and 2nd rate. Oak Timber.  
 Open woods.

- West On South Boundary of Sec 35 T 34 N. R 9 E.  
 22.00 Line run 2 chains in the S.W. cor. of a small Lake  
 27.00 Leave Mt Prairie  
 29.93 A W. Oak 24 in. diam.  
 30.25 Enter Mt Prairie  
 40.00 Set a g. Sec post from which (in Prairie)  
 a Burr Oak 24 in. diam. bears West 1.82 links dist  
 and Leave the Prairie.  
 59.77 A W. Oak 15 in. diam.



# 169

## T 33 N R 9 E 2nd Mer. Indiana.

50.00 Set a Post cor. to Sec. 34 & 35 from which  
 a W. Oak 24 in. diam. bears N. 44 E. 36 links dist &  
 a Spr 23 " " " N 72 W 23 " "  
 Land is as before.

West On South Boundary of Sec 34 T 34 N R 9 E.  
 57.57 A Burr Oak 15 in. diam.  
 29.50 An R. Oak 12 " "  
 40.00 Set a q. the post from which  
 a W. Oak 6 in. diam. bears N. 73 W. 31 links dist &  
 a Hickory 4 in. " " N 18 W 11 " "  
 57.32 A W. Oak 10 in. diam.  
 60.00 Enter S. Prairie  
 65.50 Leave Do.

80.00 Set a Post cor. to Sec. 33 & 34 from which  
 a B. Oak 6 in. diam. bears N. 8 E. 25 links dist &  
 a Hickory 5 in. " " N. 44 W. 20 " "  
 Land hilly & note. Timber Oak & Hickory.  
 Underg. same.

West On South Boundary of Sec 33 T 34 N R 9 E.  
 11.96 Set a Post on the East Bank of Lake from which  
 a B. Oak 20 in. diam. bears S. 81 E. 19 links dist &  
 a W. Oak 18 " " " N. 46 E. 50 " "  
 32.50 Set a Post on the West side of Lake in the Barrens.  
 no trees  
 Offset this Lake 23 chains & 50 links South.  
 Thence 20 chains & 54 links. Thence North  
 23 " " 50 " to true line & &

39.57 A Hickory 6 in. diam.  
 40.00 Set a q. the post from which  
 a Hickory 6 in. diam. bears East 48 links dist &  
 a W. Oak 4 " " " N. 45 W. 20 " "  
 57.82 A Hickory 24 in. "

60.00 June 17<sup>th</sup> 1829  
 80.00 Set a Post cor. to Sec. 32 & 33 from which

T 33. N. R 9 E 2<sup>nd</sup> Mer. Indiana

a Hickory 8 in. diam. bears S 86 E. 33 links dist. &  
 a Do 5 " " " N. 61 W. 16 " "  
 Land as before

Note On North Boundary of Sec 32 T 34 N R 9 E.  
 16. 69 A W. Oak 16 in. diam.  
 37. 81 To F<sup>th</sup> Wayne Road. Course S. W.  
 40. 00 Set a q. Sec post from which  
 a W. Oak 27 in. diam. bears N. 5 E. 1. 27 links dist. &  
 a Do 24 " " " N. 24 W. 110 " "  
 50. 50 Enter Barrens with scattering Oak & Hickory.  
 77. 24 A W. Oak 8 in. diam.  
 80. 00 Set a Post cor. to Sec. 31 & 32 from which  
 a Burr Oak 8 in. diam. bears N 21 E 11 links dist. &  
 a Do " 10 " " " N 55 W 59 " "  
 Land &c as before

Note On North Boundary of Sec 31 T 34 N R 9 E.  
 39. 76 A W. Oak 24 in. diam.  
 40. 00 Set a q. Sec post from which  
 a W. Oak 24 in. diam. bears East 20 links dist. &  
 a Hickory 6 " " " N. 65 W. 70 " "  
 57. 52 A W. Oak 12 " "  
 63. 00 A Hickory 8 " "  
 80. 00 Set a Temp<sup>l</sup> Post cor. to T<sup>s</sup> 33 & 34 R<sup>s</sup> 8 & 9 E.  
 Land, 2<sup>nd</sup> rate Barrens with scattering Oak  
 and Hickory. Underg<sup>th</sup> same.

West Boundary var. 5.30'E  
 North On Random On East Boundary of Sec 36  
 T 33. N. R. 8 E.  
 40. 00 Temp<sup>l</sup> q. Sec post in Lake  
 57. 71 Set Temp<sup>l</sup> Post on the S. side of Lake  
 This Lake was passed by an Offset from the 1/2  
 mile in the 6<sup>th</sup> mile of the West line in Range  
 9 E. 57. chains & 74 links North. Thence

# T 33 N R 9 E 2nd Mer. Indiana

171

West 40 chains to true line on Random  
 55.00 June 27<sup>th</sup> 1829  
 61.00 Enter Mullen Swamp  
 66.00 Leave Swamp  
 71.00 Enter S. Prairie  
 80.00 Set a Temp<sup>l</sup> Post cor. to Sec. 25 & 36.

North On Random On East Boundary of Sec 25  
 T 33 N R 8 E.  
 2.00 Leave Mt Prairie  
 28.00 Enter Mt Prairie  
 33.42 An Outlet to Lake 50 links wide. Course S.W.  
 40.00 Set a Temp<sup>l</sup> Post for q. Sec. & Leave the Prairie  
 80.00 Set a Temp<sup>l</sup> Post cor. to Sec. 24 & 25  
 Land Rolling & moderate - Timber Oak & Hickory.  
 Underg<sup>th</sup> Claspans & Mastic.

North On Random On East Boundary of Sec 24  
 T 33 N R 8 E.  
 40.00 Set a Temp<sup>l</sup> q. Sec. post  
 41.00 Enter Prairie  
 77.00 Leave same  
 80.00 Set a Temp<sup>l</sup> Post cor. to Sec. 13 & 24  
 This line moderate with groves of Oak timber &c.

North On Random On East Boundary of Sec 13  
 6.62 A Trail. Course East  
 9.77 Set a Temp<sup>l</sup> Post on the South side of Lake  
 40.00 q. Sec. corner in Lake  
 80.00 corner in Swamp on the North side.  
 Land. Lake & Swamp  
 This Lake was passed by an Offset West 25 chains  
 Thence North 87 chains & 23 links. Thence East  
 to Random.  
 Swamp to had to enter sooner.

## T33 N. R 9 E. Twp. Indiana

North On Random On East Boundary of Sec 13  
T 33. N R 8 E.

31.75 Leave I Prairie

40.00 Set a Temp<sup>y</sup> q. Sec post.

80.00 Set a " Post cor. to Sec. 1 & 12

Land except Prairie & Lake 2<sup>nd</sup> rate. Thinly  
timbered with Oak & Hickory

North On Random On East Boundary of Sec. 1

33.00 A Trail. course S.E.

40.00 Set a Temp<sup>y</sup> q. Sec post

79.60 Intersect the North Boundary 1 chain & 39 links  
East of the Post.

Land &c as before.

South On True line On East Boundary of Sec 1

39.60 Set a q. Sec. post on true line from which  
a W. Oak 23 in. diam. bears S 52 W. 3.46 links dist. &  
a Hickory 5 " " " S. 6 W. 2.16 " "

79.60 Set a Post cor. to Sec. 1. & 12 from which  
a B. Oak 40 in. diam. bears N 56 W 47 links dist. &  
a W. Oak 17 " " " S. 6 W. 2.42 " "  
No right trees on the line

South Corrected On East Boundary of Sec 12

40.00 Set a q. Sec. post from which

a W. Oak 33 in. diam. bears N 38 W. 83 links dist. &

a Do 34 " " " S. 49 W. 1.08 " "

80.00 Corner on edge of Lake in swamp, impassable

South Corrected On East Boundary of Sec 13. T 33 N R 8 E.

40.00 Cor. to q. Sec in Lake.

70.40 Set a Post on the South side of Lake, from which  
a Maple 18 in. diam. bears N 3 E 46 links dist. &

a W. Oak 12 " " " S. 10 W. 62 " "

80.00 Set a Post cor. to Sec 13 & 24 from which



# T33 N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

173

an Elm 36 in. diam. bears S. 35 W. 3 links dist &  
a Burr Oak 18 " " " N 28 W 75 " "

South Corrected On East Boundary of Sec 24. T33. N R 8 E.

40.00 Set a q. Sec post from which  
a Poplar 30 in. diam. bears N. 71 W. 46 links dist &  
a B. Oak 22 " " " N. 22 W. 66 " "

48.50 A Hickory 12 in. diam.

80.00 Set a Post cor. to Sec. 24 & 25 from which  
a W. Oak 40 in. diam. bears S. 4 W. 53 links dist &  
a B. Oak 15 " " " N 89 W. 21 " "

South Corrected On East Boundary of Sec 25.

19.41 B. Oak 25 in. diam.

40.00 Set a q. Sec post from which  
a Burr Oak 18 in. diam. bears N. 77 W. 63 links dist &  
a W. Oak 30 " " " N. 9 W. 55 " "

54.55 A W. Oak 45 " "

80.00 Set a Post cor. to Sec. 25 & 36 from which  
an Elm 12 in. diam. bears N. 2 E. 16 lks. dist &  
a Willow 4 " " " N 6 W. 19 " "

South Corrected On East Boundary of Sec 36. T33. N R 8 E.

22.29 Set a Post on the North Bank of Lake from which  
a B. Walnut 18 in. diam. bears S. 72 E. 11 links dist &  
a B. Oak 24 " " " N. 5 W. 25 " "

Balance of this line

June 28<sup>th</sup> 1829

June 28<sup>th</sup>

Surveyed by  
David Hutton D.S.

## Subdivisions

North Between Sec. 35 & 36.

var. 5° 30' E

27.60 A Beech 14 in. diam.

40.00 Set a q. Sec post from which  
a Beech 12 in. diam. bears S. 86 E. 48 links dist &  
a B. 50 " " " N 82 W 24 " "



T33 N. R 9 E 1<sup>st</sup> Mer. Indiana

54.34 A W. Oak 24 in. diam.  
 76.10 A B. Oak 30 " "  
 80.00 Set a Post cor. to Sec. 25, 26, 35 & 36 from which  
 a Hickory 8 in. diam. bears S. 34 W. 16 links dist &  
 a B. Ash 8 " " " S. 20 E. 12 " "  
 Land rolling 2<sup>nd</sup> rate Timber. Beech. Ash &  
 Oak. Underg<sup>th</sup> Sugar & Spice.

East On Rangeon between Sec. 25 & 36  
 40.00 Set a Temp<sup>o</sup> q. Sec. post  
 79.93 Intersect the E. Boundary 76 links South of Post.  
 Land be. as before.

West Corrected between Sec. 25 & 36  
 39.96 Set a q. Sec. post from which (at aver. dist)  
 a W. Oak 10 in. diam. bears N. 71 E. 14 links dist &  
 a Hickory 12 " " " S. 61 W. 21 " "  
 79.93 To Sec. corner

North Between Sec. 25 & 26  
 27.54 A Hickory 18 in. diam.  
 40.00 Set a q. Sec. post from which  
 a W. Oak 17 in. diam. bears S. 89 E. 19 links dist &  
 a Do 23 " " " S. 86 W. 13 " "  
 65.06 A Poplar 18 " "  
 67.50 Enter Barrens  
 79.00 To Wayne Road S.E.  
 80.00 Set a Post corner to Sec. 23, 24, 25 & 26 from which  
 a B. Oak 10 in. diam. bears N. 28 E. 163 links dist &  
 a Do 6 " " " S. 86 E. 2.25 " "  
 Land Rolling 2<sup>nd</sup> rate Timber Oak & Hickory  
 Underg<sup>th</sup> Sassafras & Huckle.

East Between Sec. 25 & 24  
 40.00 Set a Temp<sup>o</sup> q. Sec. post  
 79.94 Intersect the E. Boundary of Sec. 4 the N. of Post.

T 33<sup>rd</sup> R 9 E 2<sup>nd</sup> Mer. Indiana

175

Land 2<sup>nd</sup> rate with scattering Oak & Hickory  
Underg<sup>th</sup> Sapasus & Waste.

7866 Corrected between Sec. 24 & 25

39.97 Set a q. Sec. post at over dist. from which  
a W. Oak 36 in. diam. bears S. 71 E. 49 links dist. &  
a Do 28 " " " N 63 W 27 " "

79.94 To Sec. Corner

North Between Sec. 23 & 24

33.44 A B. Oak 24 in. diam.

35.00 Enter S. Prairie

40.00 Set a q. Sec. post in Prairie & raised a mound

45.00 Leave S. Prairie

50.00 Enter S. Prairie

60.35 Set a Post on the South Bank of Lake, from which  
a B. Oak 12 in. diam. bears S. 50 W. 2.12 links dist. &  
an Aspen 5 " " " S. 65 W. 138 " "

77.68 Set a Post on the North Bank of Lake,  
from which

a B. Oak 17 in. diam. bears N. 3 W. 16 links dist. &

a Do 17 " " " N. 20 W. 81 " "

80.00 Set a Post cor. to Sec. 13. 14. 23 & 24 from which

a W. Oak 16 in. diam. bears S. 25 W. 66 links dist. &

a Do 15 " " " N. 33 W. 23 " "

Daped the Lake by an Offset to the West  
Land as before.

Oct 2<sup>nd</sup> 1829

North Between Sec. 34 & 35

19.38 A Chigar 30 in. diam.

40.00 Set a q. Sec. post from which

an Elm 18 in. diam. bears N. 44 E. 22 links dist. &

an S. Ash 18 " " " N. 45 W. 13 " "

58.72 A S Ash 20 in. diam.

80.00 Set a Post cor. to Sec. 26. 27. 34 & 35 from which

## T 33 N. R 9 E. 2nd Mer. Indiana

a W. Oak 30 in. diam. bears S. 56 N. 28 W. dist 8  
 an Ironwood 8 " " " N. 63 E 28 " "  
 Land level 2nd rate. Timber Ash. Buck &  
 Oak. Underg<sup>th</sup> Spice. & Ironwood.

East On Ransom between Sec. 26 & 35

24. 50 Enter Willow Swamp

31. 00 Leave the same

40. 00 Set a Temp<sup>o</sup> of Sec. post.

50. 15 Intersect N & S line 50 links North of the Post.  
 Land &c as before.

West Corrected between Sec. 26 & 35

40. 07 1/2 Set a q. Sec post at aver. dist from which  
 a W. Oak 23 in. diam. bears S. 11 E. 27 links dist 8  
 a B. Ash 5 " " " N. 32 E 15 " "

50 15 To Sec. Corner.

North Between Sec. 26 & 27

15. 35 A W. Oak 15 in. diam.

34. 38 An R. Oak 12 " "

40. 00 Set a q. Sec. post from which

an S. Ash 15 in. diam. bears S. 41 E. 25 W. dist 8  
 a B. Ash 16 " " " N. 1 E 55 " "

66. 40 An Elm 30 " "

80. 00 Set a Post cor. to Sec. 22. 23. 26 & 27 from which  
 a Poplar 18 in. diam. bears S. 46 E. 28 W. dist 8  
 a W. Oak 15 " " " N. 20 E 27 " "  
 Land &c. as before

East On Ransom between Sec. 26 & 23

40. 00 Set a Temp<sup>o</sup> of Sec. post.

41. 00 Enter Swamp Prairie

47. 50 Leave same

80 17 Intersect the N & S line 14 links North of Post.  
 Land level 2nd rate. Timber Oak & Buck.

# 177

## T<sup>33</sup>. N. R. 9 E 2<sup>nd</sup> Mer. Indiana.

Underg<sup>th</sup> House & Sapafus

- Note Corrected between Sec<sup>s</sup> 23 & 26
40. 08<sup>1</sup>/<sub>2</sub> Set a g. Sec post at aver. dist from which  
a B. Oak 35 in. diam. bears S. 3 E. 25 links dist &  
a Co 35 " " " N 57 W 45 " "
- 80 17 To Sec. Corner
- 
- North Between Sec<sup>s</sup> 22 & 23
23. 83 A Beech 18 in. diam.
40. 00 Set a g. Sec post from which  
a Burr Oak 17 in. diam. bears N. 44 E 60 links dist &  
an Elm 17 " " " North 52 " "
44. 00 Enter S. Prairie.
58. 28 A Stream 16 links wide. Course N.
68. 62 An Elm 15 in. diam.
79. 00 Leave S. Prairie
80. 00 Set a Post cor. to Sec<sup>s</sup> 14-15-22 & 23 from which  
a W. Oak 10 in. diam. bears N. 70 E 41 links dist &  
a Co 12 " " " S 58 W 83 " "  
Land level 2<sup>nd</sup> rate. Timber. Oak & Hickory.  
Underg<sup>th</sup> Hickory & Waste.

- East On Ransom between Sec<sup>s</sup> 14 & 23
4. 00 To Wayne Road S.E.
9. 00 Enter met Prairie
10. 85 A Stream 18 links wide. Course South.
40. 00 Set a Camp<sup>s</sup> g. Sec post. in Prairie
64. 00 Leave the Prairie
80. 05 Intersect the N & S line 3 links S. of the Post.  
Land chiefly met Prairie

- Note Corrected between Sec<sup>s</sup> 14 & 23.
40. 02<sup>1</sup>/<sub>2</sub> Set a g. Sec post at aver. dist from which  
in Prairie & raised a Mound.
80. 05 To Sec. Corner



# J. B. A. R. G. E. I<sup>ma</sup> Mer. Indiana.

East On Random between Sec. 13 & 24

40.00 Set a Simp<sup>d</sup> of Sec. post.

79.94 Intersect the E. Boundary 24 links North of the Post.

Land level & I<sup>ma</sup> rate. Timber Oak.  
No Underg<sup>th</sup>

West Corrected between Sec. 13 & 24.

39.97 Set a gr. Sec. post at aver. dist from which  
a W. Oak 30 in. diam. bears East 82 links dist &  
a B. Oak 27 " " " S 25 E 70 " "

79.94 To Sec. corner.

North Between Sec. 13 & 14

6.30 A W. Oak 12 in. diam.

10.00 Enter Mt Prairie

20.00 Leave it

29.50 A W. Oak 18 in. diam.

40.00 Set a gr. Sec. post from which  
a Spanish Oak 30 in. diam. bears S 12 E 26 W. dist &  
a W. Oak 20 " " " N 28 W 59 " "

55.93 A W. Oak 18 " "

60.00 Enter Mt Prairie

75.00 Leave same

77.00 Enter Mt Prairie

80.00 Set a Post cor. to Sec. 11, 12, 13 & 14 from which  
a B. Oak 20 in. diam. bears S 40 W. 83 links dist &  
a W. Oak 10 " " " S 51 W. 79 " "

Land 3<sup>d</sup> rate. Timber Oak. No Underg<sup>th</sup>

East Between Sec. 12 & 13. On Random

10.00 Leave Prairie

40.00 Set a Simp<sup>d</sup> of the Post.

80.00 Intersect the E. Boundary 10 links North of Post  
Land level & I<sup>ma</sup> rate. Timber Oak. & Hickory.  
Underg<sup>th</sup>. Huckle & Plum.



# T 33 N. R 9 E 2nd Mer. Indiana

179

West Corrected between Sec. 12 & 13  
 40.00 Set a g. Sec. post. from which  
 a Burr Oak 12 in. diam. bears S. 22 W. 3 links dist &  
 an Elm 5 " " " N 10 E 12 " "  
 80.00 To Sec. Corner

North Between Sec. 11 & 12  
 18.63 A W. Oak 12 in. diam.  
 32.84 A Stream 40 links wide. Course N. W.  
 34.79 A Do 40 " " " S W.  
 40.00 Set a g. Sec. post. from which  
 an Elm 12 in. diam. bears N. 10 E. 11 links dist &  
 a Do 16 " " " S. 11 E. 14 " "  
 42.50 A Stream 42 links wide. Course N. W.  
 52.63 A B. Oak 24 in. diam.  
 66.33 Set a Post on the South Bank of Lake. from which  
 a W. Oak 24 in. diam. bears S. 10 W. 48 links dist &  
 a Do 24 " " " S. 74 W. 7 " "  
 76.00 Set a Post on North Bank of Lake. from which  
 a B. Oak 23 in. diam. bears N. 20 E. 36 links dist &  
 a Do 22 " " " N. 27 W. 35 " "  
 80.00 Set a Post cor. to Sec. 1. 2. 11. & 12 from which  
 a W. Oak 18 in. diam. bears N. 80 E. 20 links dist &  
 a Do 10 " " " S. 80 W. 135 " "  
 Land some rolling 2nd rate. Timber Oak  
 Undergrowth. Ironwood. Huckle & Plums.  
 Oct 3<sup>d</sup> 1829.

North Between Sec. 14 & 15  
 5.75 To Wayne Road. S E.  
 23.28 A W. Oak 12 in. diam.  
 40.00 Set a g. Sec. post. from which  
 a B. Oak 32 in. diam. bears S. 38 E. 163 links dist &  
 a W. Oak 16 " " " N 47 W 48 " "  
 49.00 Enter wet Prairie  
 68.00 Tamarac swamps.

# T. 33. N. R. 9 E. 2nd Mer. Indiana.

- 69.17 A Tamarac 10 in. diam.  
 74.00 Leave Swamp.  
 80.00 Set a Post cor. to Sec. 10. 11. 14 & 15 from which  
 a W. Oak 36 in. diam. bears S 43 W. 83 links dist &  
 a B. Oak 24 " " " N 36 E. 1.33 " "  
 Land rolling & 3 rate. Timber. Oak. no Undergrowth.

- East On Random between Sec. 11 & 14.  
 40.00 Set a Temp. q. Sec. post.  
 54.00 A Stream 15 links wide. Course N W.  
 62.70 Do 15 " " " S W.  
 80.00 Intersect the N & S line 8 links S. of the Post.  
 Land &c as before.

- West Corrected between Sec. 11 & 14.  
 40.00 Set a q. Sec. post at aver. dist from which a  
 W. Oak 10 in. diam. bears N. 72 E. 37 links dist & a  
 B. Oak 24 " " " S 58 E 11 " "  
 80.00 To Sec. Corner.

- North Between Sec. 10 & 11  
 15.35 A B. Oak 20 in. diam.  
 17.00 Enter Wet Prairie  
 20.33 Set a Post on the South Bank of Lake in S. Prairie  
 and raised a Mound  
 40.00 q. Sec. <sup>cor.</sup> post in Lake.  
 69.75 Set a Post on the North Bank of Lake from which  
 a Maple 4 in. diam. bears S 86 E. 20 links dist &  
 a Do 3 " " " S 82 E 20 " "  
 70.50 Enter Mellow Swamp  
 80.00 Set a Post in Cr. Cor. to Sec. 2. 3. 10 & 11 from which  
 a Miller 4 in. diam. bears S 83 E. 13 links dist &  
 a Do 4 " " " S 75 W 16 " "  
 Land not described.

- East On Random between Sec. 2 & 11

2. 50 Leave the Willow Swamp.  
 8. 00 Enter Willow Swamp.  
 15. 00 Leave the same.  
 40. 00 Set a Temp. q. the post.  
 80. 00 Intersect the N & S line 10 links South of the Post.  
 Land Rolling 3' incl. Timber. Oak. No Undergrowth.

- Note Corrected between Sec. 2 & 11  
 40. 00 Set a q. the post. from which  
 a W. Oak 16 in. diam. bears N 71° E 41 links dist &  
 a B. Oak 15 " " " N 59° W 47 " "  
 80. 00 To Sec. Corner.

- East On Range between Sec. 1 & 12.  
 10. 00 Set a Temp. q. the post.  
 50. 00 Enter Wet Prairie  
 70. 00 Leave same  
 79 96 Intersect the East Boundary 12 links North of Post.  
 Land as before

- Note Corrected between Sec. 1 & 12  
 39. 98 Set a q. Sec. post at aver. dists from from which  
 a W. Oak 18 in. diam. bears S 69° E. 74 links dist &  
 a Burr Oak 20 in. " " N. 4° E. 51 " "  
 79 96 To the Corner

- North Between Sec. 1 & 2  
 25. 03 An R. Oak 30 in. diam.  
 33. 00 Enter Wet Prairie  
 35. 00 Pond or small Lake  
 40. 00 q. the Sec. Corner in Pond water too deep to set a Post.  
 63. 50 Leave Wet Prairie  
 73. 75 A Stream 1.00 links wide course N W and  
 Leave the Prairie  
 79. 78 Intersect the North Boundary 85 links West of  
 the Post. Set a Post cor. to Sec. 1 & 2 from which

T 30 N R 9 E 2<sup>nd</sup> Mer. Indiana

an Aspin 10 in. diam. bears S. 7 E. 76 links dist &  
 a Do 9 " " " S. 76 W. 111 " "  
 Land &c as before.

North Between Sec. 2 & 3

2. 50 Enter Willow Swamp

9. 00 A Stream 100 links wide. Course N E and  
 Enter Mt Prairie

17. 00 Leave Mt Prairie

24. 20 A W. Oak 30 in. diam.

40. 00 Set a gr. Sec post from which

a B. Oak 6 in. diam. bears S. 28 E. 14 links dist &

a Do 8 " " " S. 31 W. 21 " "

56. 71 An R. Oak 24 in. diam.

79. 60 Intersect the North Boundary 60 links W. of Post

Set a Post cor. to Sec. 2 & 3 from which

a W. Oak 24 in. diam. bears N. 9 E. 17 links dist &

a Do 15 " " " S. 65 E. 45 " "

Land as before.

Oct. 4<sup>th</sup> 1829.

West Between Sec. 27 & 34

2. 00 Enter Willow swamp

9. 50 Leave same

20. 43 A Hickory 12 in. diam.

40. 00 Set a gr. Sec. post from which

a W. Oak 30 in. diam. bears S. 77 E. 8 links dist &

a R. Oak 22 " " " N. 81 W. 14 " "

65. 00 A B. Oak 12 " "

67. 00 Enter Mt Prairie

{ On N. Bank of Lake }

80. 00 Set a Post cor. to Sec. 27. 28. 33 & 34 from which

a Willow 4 in. diam. bears S. 28 W. 45 links dist &

a W. Oak 18 " " " N. 34 W. 69 " "

Land Rolling and 1<sup>st</sup> rate. Timber. Oak Ash &

Elm. Underg<sup>th</sup> Spice & Iron wood.

South Between Sec. 33 & 34



- 35.50 Set a Post on The South Bank of Lake from which  
a W. Oak 18 in. diam. bears S. 12 E. 36 links dist. &  
a Dogwood 5 " " " N. 80 E. 20 " "
- 40.00 Set a q. Sec. post from which  
a W. Oak 16 in. diam. bears S. 81 W. 19 links dist. &  
a Dr 17 " " " S. 22 E. 19 " "
- 56.90 A Beech 12 " "
- ~~56.90 A Dr 12 " "~~
- 65.25 Set a Post on the North Bank of Lake from which  
a W. Oak 17 in. diam. bears N. 29 E. 9 links dist. &  
a Dr 15 " " " N. 66 W. 27 " "
- Land Rolling 2nd rate. Timber Oak & Beech  
Underg<sup>th</sup> Ironwood. & Dogwood.  
The last two lines were run West & South in  
consequence of the Lakes

North Between Sec. 27 & 28

2.00 Leave the Prairie

19.64 A Sycamore 10 in. diam.

40.00 Set a q. Sec. post from which  
a Sassafras 8 in. diam. bears N. 89 W. 20 links dist. &  
a Beech 23 " " " N. 20 E. 12 " "

52.50 A Maple 17 " "

56.50 Enter Miller Swamp & Wet Prairie

71.00 Leave same

72.95 An R. Oak 25 in. diam. bears

80.00 Set a Post cor. to Sec. 21. 22. 27 & 28 from which  
an Elm 12 in. diam. bears S. 31 W. 15 links dist. &  
a Linn 6 " " " N. 35 E. 31 " "

Land 2nd rate. Timber Oak & Beech.  
Underg<sup>th</sup> Ironwood

Close On Random between Sec. 22 & 27

15.00 Enter Miller swamp.

40.00 Set a Temp. q. Sec. post.

60.00 Leave Miller Swamp.



## T 33. A. R. 9 E. 2nd Mer. Indiana.

80.00 Intersect the N & S line 10 links N. of the Post.  
Land except Prairie as before

West Corrected between Sec. 22 & 27  
40.00 Set a gr. Sec. post on true line from which  
an Elm 12 in. diam. bears N. 55 W. 11 links dist. &  
a S. Ash 15 " " " S 55 E. 14 " "  
80.00 To Sec. corner

North Between Sec. 21 & 22  
25.43 A W. Oak 42 in. diam.  
30.50 Enter Mallow swamps.  
37.50 Leave swamps  
40.00 Set a gr. Sec. post from which  
a W. Oak 24 in. diam. bears S. 57 W. 30 links dist. &  
a Do. 26 " " " N 78 E 8 " "  
53.35 A W. Ash 12 " "  
79.00 Enter Mt. Prairie  
80.00 Set a Post cor. to Sec. 15. 16. 21 & 22 from which  
a Mallow 6 in. diam. bears N 44 W 24 links dist. &  
a S. Ash 17 " " " S 48 E 27 " "  
Land &c as before.

East On Random between Sec. 15 & 22  
30.35 A Stream 15 links wide. Course N. W.  
35.00 Enter Mt. Prairie  
40.00 Set a Temp. gr. Sec. Post.  
75.00 Leave the Prairie  
79.89 Intersect the N & S line 14 links N. of the Post.  
Land chiefly Mt. Prairie and sand ridges  
Oct 5<sup>th</sup> 1829

West Corrected between Sec. 15 & 22  
39.44 Set a gr. Sec. post at aver. dist. from which  
in Prairie and raised a Mound.  
79.89 To Sec. corner

185

T 33 N R 9 E 2<sup>nd</sup> Mer. Indiana.

North Between Sec. 15 & 16

38. 50 A Stream 14 links wide. Course N. W.

40. 00 Set a gr. Sec. post in Prairie and raised a Mound.

66. 71 A Stream 20 links wide. Course N. E.

70. 00 Leave Prairie

80. 00 Set a Post corner to Sec. 9. 10. 15 & 16 from which  
a B. Oak 34 in. diam. bears S. 8 E. 25 links dist &

a Spr. 27 " " N. 49 E. 24 " "

Land, chiefly wet Prairie

East On Random between Sec. 10 & 15

13. 00 F. 5 Wayne Road. Course S. E.

18. 00 A Stream 25 links wide. Course N. E.

40. 00 Set a Temp. gr. Sec. Post.

48. 00 Enter Wet Prairie

62. 50 Leave same

79. 96 Intersect the N. & E. line 20 links North of Post.  
Land rolling and 3<sup>rd</sup> rate. Timber & Undergr. Oak.

West Corrected between Sec. 10 & 15

39. 98 Set a gr. Sec. post from which.

a B. Oak 4 in. diam. bears S. 36 E. 23 links dist &

a Spr. 4 " " " N. 89 W. 18 " "

79 96 To Sec. corner

North Between Sec. 9 & 10

7. 21 F. 5 Wayne Road. S. E.

14. 45 A B. Oak 15 in. diam.

17. 00 Enter Wet Prairie.

30. 50 Set a Post on the South Bank of Lake from which  
a Tamarac 15 in. diam. bears S. 87 W. 32.5 links dist &

a Spr. 12 " " " N. 87 W. 32.5 " "

40. 00 To Sec. corner in Lake.

45. 58 Set a Post on the North Bank of Lake from which  
a Tamarac 15 in. diam. bears N. 57 E. 53 links dist &

a Spr. 14 " " " N. 54 E. 51 " "

T. 33. N. R. 9 E. 2<sup>nd</sup> Mer. Indiana.

Paced the Lake by an Offset of 12.50 West and returned to line

54. 00 Leave the Prairie

57. 50 A B. Oak 12 in. diam.

67. 50 Enter Wet Prairie.

74. 00 Leave same

76. 00 A W. Oak 32 in. diam.

80. 00 Set a Post. Cor. to Sec. 3 & 4. 9 40 from which  
a B. Oak 17 in. diam. bears S 10 E 48 links dist &  
a S 18 " " " N. 4 E. 56 " "  
Land Rolling 3<sup>rd</sup> rate. Timber. Oak. No Undergrowth

East On Random between Sec. 3 & 10

10. 00 Enter Wet Prairie

22. 50 Leave same

40. 00 Set a Temp. g. Sec. post.

50. 00 Enter Wet Prairie

64. 00 A Stream 50 links wide. Course N. E. and leave  
the Prairie & Enter Willow Swamp

80. 00 Intersect the N & S line 13 links North of the Post.  
Land &c as before.

West Corrected between Sec. 3 & 10

40. 00 Set a g. Sec. post. from which  
a W. Oak 24 in. diam. bears N 53 E. 61 links dist &  
a B. Oak 18 " " " S. 62 E. 90 " "

80 00 To Sec. Corner

North Between Sec. 3 & 4

30. 09 A W. Oak 30 in. diam.

40. 00 Set a g. Sec. post. from which  
a B. Oak 20 in. diam. bears S. 84 W. 8 links dist &  
a W. Oak 13 " " " N 25 E 4 " "

64. 85 A W. Oak 24 " "

80. 15 Intersects the North Boundary 88 links E. of the Post.  
Set a Post cor. to Sec. 3 & 4 from which

a Hickory 6 in. diam. bears S 57 W. 25 links dist. &  
 a Do 5 " " " N. 55 W. 18 " "  
 Land is as before

October 5th 1829.

North Between Sec. 32 & 33

20. 95 A B. Ash 12 in. diam.

25. 84 Set a Post on the South Bank of Lake from which  
 a B. Ash 16 in. diam. bears S. 11 E. 9 links dist. &  
 a Hickory 6 " " " S. 44 W. 9 " "

40. 00 gr. Sec. Corner in Lake

80. 00 Corner to Sec. 28. 29 32. & 33 in Lake.  
 Land Rolling 1<sup>st</sup> rate. Timber. Ash. Beech & Elm.  
 Undergr<sup>d</sup>. Sugar & Ash

East On Random between Sec. 28 & 33

17. 45 Set a Temp<sup>t</sup> Post on East Bank of Lake

40. 00 Set " " gr. Sec. Post.

80. 00 Intersect the N & S line 20 links North of the Post.  
 Land level 2<sup>nd</sup> rate. Timber. Oak. Ash. & Beech  
 Undergr<sup>d</sup>. Spice & Ironwood.

West Corrected between Sec. 28 & 33

40. 00 Set a gr. Sec. post on true line from which  
 a Sycamore 20 in. diam. bears N. 55 E. 13 links dist. &  
 a Do 16 " " " N. 45 W. 11 " "

62. 55 Set a Post on the E. Bank of Lake, from which  
 a Burr Oak 10 in. diam. bears S 65 E 18 links dist. &  
 a W. Oak 12 " " " N 7 W 17 " "

80. 00 Corner in Lake.

North Between Sec. 28 & 29

10. 90 Set a Post on the North Bank of Lake from which  
 a Hickory 7 in. diam. bears N. 77 E. 19 links dist. &  
 a Beech 18 " " " N. 28 W. 27 " "

This Lake was off 50 chain East. Thence



## T33 N. R. 9 E. Ind. Mer. Indiana

N. to E. Random. Thence to Lake & then Random East & then West N. W. to true line

25. 00 An S. Ash 12 in. diam.  
 25. 50 Enter Tamarac swamps  
 40. 00 Set a q. Sec. post in Co. from which  
 a Tamarac 8 in. diam. bears S 50 E 8 links dist. &  
 a Do 10 " " " N. 89 W. 5 " "  
 60. 00 Leave the swamps  
 68. 00 A Beech 16 in. diam.  
 80. 00 Set a Post cor. to Sec. 20. 21. 28. & 29 from which  
 a B. Ash 10 in. diam. bears S. 70 E. 10 links dist. &  
 a Beech 7 " " " N. 8 W. 13 " "  
 Land level moderate. Timber. Oak. Beech & Elm;  
 Undergrowth Spice & Ironwood.

East On Random between Sec. 21 & 28

18. 00 Enter Tamarac Swamps.  
 27. 50 Leave same  
 40. 00 Set a q. Sec. Post (Temp)  
 80. 10 Intersect the N & S line 5 links North of the Post  
 Land &c as before.

West Corrected between Sec. 21 & 28

40. 05 Set a q. Sec. post at aver. dist. from which  
 a Poplar 18 in. diam. bears N 81 E 32 links dist. &  
 a B. Ash 7 " " " S 89 W. 31 " "  
 80. 10 To Sec. corner

North Between Sec. 20 & 21

28. 01 A B. Ash 10 in. diam.  
 40. 00 Set a q. Sec. post from which  
 a Beech 17 in. diam. bears S 80 W. 35 links dist. &  
 a W. Oak 30 " " " N 72 E 43 " "  
 43. 50 Enter Mt. Prairie  
 80. 00 Set a Post Corner to Sec. 16. 17. 20 & 21 from which  
 a Tamarac 8 in. diam. bears N 65 W. 1. 13 links dist. &

# 189

## T<sup>o</sup> N. R. 9 E. 2nd Mer. Indiana.

a Tamarac 5 in. diam. bears N 72 W. 1.07 links dist  
Land except the Prairie as before

East On Random between Sec. 16 & 21.  
5. 00 Leave the Prairie  
40. 00 Set a Tump. q. Sec Post.  
54. 75 Enter Mt Prairie  
80. 00 Intersected the N & S line at Post.  
Land except the Prairie 2<sup>nd</sup> rate & level. Timber  
Oak. Ash & Elm. Underg<sup>th</sup> Spice & Ironwood.

West Connected between Sec. 16 & 21  
40. 00 Set a q. Sec Post on true line. from which  
a Beech 18 in. diam. bears N. 29 W. 22 links dist. &  
a Blue Ash 12 in. " " N. 58 E. 32 " "  
80. 00 To Sec. Corner. Oct 8<sup>th</sup> 1829.

North Between Sec. 16 & 17  
10. 00 Tamarac Swamp  
17. 50 Leave same  
40. 00 Set a q. Sec Post. in Prairie & raised a Mound.  
72. 00 Leave the Prairie  
74. 50 An R. Oak 16 in. diam.  
80. 00 Set a Post cor. to Sec. 8. 9. 16 & 17. from which  
a W. Oak 18 in. diam. bears S. 64 W. 27 links dist. &  
a Hickory 14 " " " N. 11 E. 13 " "  
Land chiefly Mt Prairie.

East On Random between Sec. 9 & 10  
10. 00 Enter Mt Prairie  
31. 00 Leave same  
40. 00 Set a Tump. q. Sec Post  
42. 73 To Wayne Road. Course S E.  
65. 75 Do " " S W.  
80. 00 Intersect the N & S line at Post  
Land Rolling 3<sup>rd</sup> rate &c.

T<sup>33</sup>. N. R. 9 E. Ind. Mer. Indiana

West, Corrected between Sec. 9 & 10  
 40.03 Set a gr. Sec post at aver. dist. from which  
 a W. Oak 10 in. diam. bears N. 30 E. 23 lbs. dist. &  
 a Dr 12 " " " S. 85 E. 23 " "  
 80.06 To Sec. Corner

Oct 6<sup>th</sup> 1829

North Between Sec. 8 & 9

5.00 Enter Mullen Swamp

17.00 Leave same.

26.00 Enter swamp Prairie

40.00 Set a gr. Sec. post from which in Prairie  
 and raised a mound.

48.00 Tamarac swamp.

64.63 A Tamarac 6 in. diam.

74.00 Leave the swamp.

74.90 To Wayne Road. Course S E.

80.00 Set a Post cor. to Sec. 4. 5. 8 & 9 from which  
 a Hickory 6 in. diam. bears S. 3 E. 22 lbs. dist. &  
 a B. Oak 6 " " " N. 12 W. 21 " "

Land rolling & moderate. except the Prairie  
 Timber Oak &c.

East On Random between Sec. 4 & 9

40.00 Set a Temp. gr. Sec. post in edge of Prairie

78.00 Leave the Prairie

80.08 Intersect the N & S line 20 links North of Post  
 Land &c. as before.

West Corrected between Sec. 4 & 9

40.04 Set a gr. Sec. post at aver. dist. from which  
 a W. Oak 33 in. diam. bears N. 69 W. 100 lbs. dist. &  
 a Dr 32 " " " S. 74 W. 17 " "

80.08 To Sec. Corner

North Between Sec. 4 & 5

# T 33 N R 9 E. Ind. Mer. Indiana

191

- 28.00 A B. Oak 5 in. diam.  
 40.00 Set a g. Sec post from which  
 an R. Oak 12 in. diam. bears N. 49 W. 28 links dist. &  
 a Burr Oak 14 " " " N 38 E. 10 " "  
 65.31 A Burr Oak 14 " "  
 80.20 Intersect the North Boundary 30 links West of Post  
 Set a Post cor. to Sec. 4 & 5 from which  
 a Hickory 4 in. diam. bears N 66 E 18 links dist. &  
 a Do. 4 " " " N 12 W 18 " "  
 Land &c as before.

- North Between Sec. 31 & 32  
 15.50 Left the Prairie  
 32.32 A W. Oak 24 in. diam.  
 40.00 Set a g. Sec post from which  
 a W. Oak 14 in. diam. bears S. 34 W 22 links dist. &  
 a Do 33 " " " S 89 W 12 " "  
 45.00 Enter Willow Swamp.  
 55.00 Enter Mt. Prairie  
 75.00 A Stream 15 links wide. Course S W  
 80.00 Set post cor. to Sec. 29. 30 31 & 32 from which  
 a W. Oak 12 in. diam. bears N 7 E 29 1 links dist. &  
 a Do 12 " " " S 88 E 2.85 " "  
 Land level & swampy

- East Between Sec. 29 & 32  
 2.50 Leave Prairie  
 25.50 Along the Lake shore  
 40.00 Set a g. Sec post on West bank of Lake  
 from which an  
 Aspin 6 in. diam. bears S. 58 E. 6 links dist. &  
 a Thorn 7 " " " N 38 W 10 " "  
 80.00 Corner in Lake. Land &c as before.

- West Between Sec. 30 & 31  
 10.00 A Stream 15 links wide. Course N W



T 33 N. R 9 E 2<sup>nd</sup> Mer. Indiana

12. 00 Leave the Prairie  
 34.46 A W. Oak 33 in. diam.  
 40. 00 Set a gr. Sec. post from which  
     a Hickory 15 in. diam. bears N. 44 E. 7 links dist &  
     a B. Ash 12 " " " S. 21 W. 26 " "  
 62. 00 A Hickory 18 " "  
 74. 50 Enter S. Prairie & Miller Swamp  
 79. 93 Intersect the West Boundary 12 4 links N. of Post  
     from which  
     an Elm 10 in. diam. bears N. 3 E. 1. 25 links dist &  
     an Aspin 12 " " " N. 2 W. 1. 33 " "  
 Land level & 2<sup>nd</sup> rate. Timber, Oak & Hickory.  
 Underg<sup>th</sup> Hard & Chaparral.

- North Between Sec. 29 & 30  
 8. 00 Leave the Prairie  
 16. 50 A B. Oak 29 in. diam.  
 20. 00 Enter Tamarac Swamp.  
 40. 00 Set a Post in Tam<sup>e</sup> swamp. from which  
     a Tamarac 7 in. diam. bears S. 12 E. 25 links dist &  
     a Do 7 " " " N. 33 W. 30 " "  
 51. 06 A Tamarac 10 " "  
 60. 00 Set a Post cor. to Sec. 19 & 20. 29 & 30 from which  
     a Tamarac 8 in. diam. bears S. 11 E. 8 links dist &  
     a Do 7 " " " N. 11 W. 9 " "  
 Land not described.

- East On Random between Sec. 20 & 29  
 40. 00 Set a Temp<sup>e</sup> gr. Sec. post  
 57. 00 Leave Tamarac Swamp  
 60. 00 Intersect the N & S line 10 links North of Post.  
 Land 2<sup>nd</sup> rate. Timber Oak.

- West Corrected between Sec. 20 & 29  
 40. 00 Set a gr. Sec. post on true line. from which  
     a Tamarac 10 in. diam. bears S. 12 E. 4 links dist &

# 193

## T 33 N. R 9 E 1<sup>st</sup> Mer. Indiana

a Tamarac 9 in. diam. bears N 6 W 5 links dist. &  
80.00 To Sec. Corner.

W 60 Between Sec. 19 + 30  
26.00 Leave Tamarac Swamp  
29.72 A B. Oak 17 in. diam.  
40.00 Set a g. Sec post from which  
a W. Oak 18 in. diam. bears N 16 E 21 links dist. &  
a Do 14 " " " S 13 W 17 " "  
61.77 A W. Oak 20 in. diam.  
71.00 Enter Mt. Prairie  
79.86 Intersect the West Boundary 1.19 links North of  
the Post. Set a Post cor. to Sec. 19 + 30 from which  
a W. Oak 17 in. diam. bears S 9 W 21 links dist. &  
a Do 24 " " " S 11 E 27 " "  
Land 2<sup>nd</sup> rate. Timber Oak, Underg<sup>th</sup> Oak &  
Hazel

North Between Sec. 19 + 20  
14.00 Leave Tamarac Swamp Oct 9<sup>th</sup>  
26.15 A W. Oak 12 in. diam.  
40.00 Set a g. Sec post from which  
a B. Oak 15 in. diam. bears S 19 W 21 links dist. &  
a Do 24 " " " N 63 E 23 " "  
41.00 Enter Willow Swamp  
55.00 Leave Do.  
62.70 A Burr Oak 12 in. diam.  
80.00 Set a Post cor. to Sec. 17 18. 19 + 20 from which  
a Beech 20 in. diam. bears S 71 E 3 links dist. &  
an Elm 16 " " " N. 46 W. 26 " "  
Land level 2<sup>nd</sup> rate. Timber Oak & Hickory  
Underg<sup>th</sup> Hazel & Cassapra.

East On Random between Sec. 17 + 20  
40.00 Set a Temp<sup>st</sup> g. Sec post  
57.00 Enter Tamarac Swamp.

194

## T 33 N. R 9 E. Ind. Mer. Indiana

79.00 Enter Wet Prairie  
 80.11 Intersect the N & S line 10 links North of Post.  
 Land &c as before

West Corrected between Sec. 17 & 20  
 40.05 1/2 Set a gr. Sec. post at even dist. from which  
 a W. Oak 18 in. diam. bears N 77 E 17 links dist. &  
 a Do 11 " " " S 73 W 19 " "  
 80.11 To Sec. corner

West Between Sec. 18 & 19  
 17.21 A W. Oak 20 in. diam.  
 40.00 Set a gr. Sec. post from which  
 a W. Oak 18 in. diam. bears S 73 W 103 links dist. &  
 a Do 18 " " " S 75 W 119 " "  
 45.00 Enter Wet Prairie  
 79.77 Intersect the West Boundary 135 links North  
 of Post. Set a Post cor. to Sec. 18 & 19 from which  
 a W. Oak 21 in. diam. bears N 77 W 341 links dist. &  
 an R. Oak 24 " " " S. 10 E. 401 " "  
 Land &c as before

North Between Sec. 17 & 18  
 16.44 A Poplar 18 in. diam.  
 27.00 Enter Wet Prairie  
 34.50 Set a Post on the South Bank of Lake & raised a  
 Mound  
 40.00 gr. Sec. corner in Lake  
 80.00 Corner to Sec. 7. 8. 17 & 18 in Lake  
 This Lake is 60 lks East. Thence North to  
 the line 17 & 20. Thence to Lake and  
 Random East & corrected back. Thence  
 North & West

East On Random between Sec. 8 & 17  
 40.00 Set a Temp. gr. Sec. on Bank of Lake.

T 33 N. R 9 E 2nd Mer. Indiana

195

80.00 Intersect the N & S line 4 links S. of the Post.  
Land level 2nd rate. Timber Oak & Hickory.  
Underg<sup>th</sup> Sapafus

Note Corrected between Sec. 8 & 17  
40.00 Set a gp. Sec. post on true line on the bank of Lake  
from which  
a Sycamore 8 in. diam. bears N. 34 E. 45 lks dist &  
a B. Oak 12 " " " S 80 E 32 " "  
80.00 To the Corner

Note Between Sec. 7 & 18 in. Lake  
No bearing trees.

North Between Sec. 7 & 8  
10.86 Set a Post on the North Bank of Lake from which  
a W. Oak 10 in. diam. bears N. 76 E. 6 links dist &  
a Do 8 " " " N 65 W 22 " "  
28.61 A Hickory 20 in. diam.  
40.00 Set a gp. Sec. post from which  
a Burr Oak 18 in. diam. bears South 21 links dist &  
a B. Oak 10 " " " N 57 E 51 " "  
61.91 A W. Oak 15 " " "  
80.00 Set a Post cor. to Sec. 5. 6. 7 & 8 from which  
a W. Oak 15 in. diam. bears S. 4 E. 16 lks dist &  
a Do 20 " " " N 6 E 95 " "  
Land level 2nd rate. Timber. Oak & Hick.  
Underg<sup>th</sup> Oak & Hickory.

East Between Sec. 5 & 8 On Random.  
40.00 Set a Temp<sup>g</sup> Sec. post  
72.45 To Wayne Road.  
80.00 Intersect the N & S line 50 links North of Post.  
Land Rolling 2nd rate. Timber Oak. no Underg<sup>th</sup>.

Note Corrected between Sec. 5 & 8



# T 33 N. R 9 E 2nd Mer. Indiana

40.00 Set a gr. Sec. post on true line from which  
 a Burr Oak 30 in. diam. bears N. 70 E. 29 lks. dist 8  
 a Do 9 " " " S 28 W 13 " "  
 80.00 To Sec. Corner.

Note Between Sec. 6 & 7

32.28 A B. Oak 24 in. diam.

40.00 Set a gr. Sec post from which  
 a W. Oak 16 in. diam. bears N 65 E 71 links dist 8  
 a Do 24 " " " S 11 W 38 " "

44.00 Enter Barrens

75.50 Leave Do.

79.19 Intersect the West Boundary 1.27 links N. of Post.  
 Set a post cor. to Sec. 6 & 7 from which  
 a B. Oak 36 in. diam. bears S. 84 E. 20 links dist 8  
 a Do 27 " " " N. 67 W. 20 " "  
 Land &c as before

Oct 10<sup>th</sup> 1829

North Between Sec. 5 & 6

40.00 Set a gr. Sec post from which  
 a Burr Oak 4 in. diam. bears S. 24 W. 43 links dist 8  
 a Do " 8 " " " N 70 W 57 " "

45.00 A Burr Oak 12 in. diam.

68.90 A Do. Do 14 " "

79.00 Intersect the North Boundary 1.05 links West  
 of the Post. Set a Post cor. to Sec. 5 & 6 from which  
 a Burr Oak 6 in. diam. bears N. 64 E. 4 links dist 8  
 a Do Do 8 " " " S. 64 W. 95 " "  
 Land &c as before.

Meanders of a Lake in Sec. 23 & 24

Commencing at a Post on the North bank.

Courses	Distances	Remarks
---------	-----------	---------

S 80 E	21.81	
--------	-------	--

197

T 33 N. R 9 E. 2nd Mer. Indiana.

S 40 E 11.20

S 2 W 6.50

S 80 W 2.00

N 74 W 7.23

N 71 W 9.03

S 83 W 2.00

N 63 W 8.00 Intersect the N Sec line 23. 24.

N 70 W 3.50

N 21 W 5.87

N 40 W 2.88

N 10 W 2.00

N 41 E 5.00

N 57 E 4.88 Intersect N line Sec 23 & 24 at —.....

Oct 2. 1829

Meanders of Lake. commencing at post on  
the line between Sec. 11 & 12 on North bank

S 69 E 7.53

S 45 E 5.50

S 2 E 4.50

S 69 W 2.20

N 80 W 13.32 At 905 N line Sec. 11 & 12

S 60 W 5.83

S 37 W 2.73

S 65 W 3.64

S 85 W 5.25

S 66 W 3.00

S 29 W 1.61

N 88 W 2.03

N 31 W 4.26

N 13 W 4.00

N 3 E 3.00

N 22 E 5.00

N 69 E 5.33

S 82 E 6.84

## T33 N R 9 E Ind. Mer. Indiana

N79E 6.09

N68E 4.59

N86E 5.50 Intersect N line Sec. 11 & 12 at the  
place of beginning Oct 4<sup>th</sup> 1829.Meanders of Lake. Commencing at Post  
on West bank on Town line Sec 33.

N14E 3.35

N77W 6.73

N36W 7.00

N45W 7.37

N80W 2.75

N71W 5.69

N35W 1.50

N2W 2.92

N30E 1.08 At 100 links Outlet of Lake 45 lbs. wider

N62E 1.34 Course N.W

N50E 3.00

East 8.23

S70E 3.00

S40E 7.74

S73E 1.72

S78E 3.52

S50E 2.69

S65E 3.40

S54E 2.50 At 1.24 N line Sec. 33 &amp; 34

S58E 3.42

S26E 7.02

South 10.74 Intersect line between Towns 32 & 33  
Sec. 34

Meanders of Lake in Sec. 33 &amp; 34

Beginning at Post on the South bank.

South 4.50 with Sec. line

S46W 3.28

T 33 N. R 9 E 2nd Mer. Indiana

199

S 29 W 8.63

N 89 W 7.09

N 68 W 4.03

N 83 W 1.79

N 65 W 1.50

S 52 W 1.54

S 86 W 2.77

North 5.41 At 4.50 an Outlet to Lake 1 chain W 26

N 37 E 12.37

N 9 E 4.58

N 9 W 7.85

N 25 E 12.98

N 57 E 5.94

N 71 E 1.27

East 7.03 At 2.45 Post cor. to Sec. 27. 28 33 & 34

S 45 E 0.88 At 4.50 inlet to Lake 50 links wide.

S 5 E 13.43

S 46 W 7.30

S 39 W 1.74

S 19 W 8.74

S 37 W 1.30 Intersect N line Sec. 33 & 34 at the  
place of beginning Oct 5<sup>th</sup> 1829

Meanders of Lake in Sec 4 Beginning  
at Post on E. Bank on Town line. Thence

South 0.60

S 15 W 6.08

S 1 W 5.92

S 20 W 2.65

S 64 W 4.83

N 72 W 3.53

N 40 W 18.11

N 9 E 6.02

N 14 E 2.50 Intersect line T 33 & 34



T33 A. R. G. E. 2<sup>nd</sup> Mer. Indiana

Meanders of Lake commencing at Post  
on line on North bank. between Sec. 10 & 11

S 43 E	1.21	
S 58 E	3.08	
S 64 E	16.19	
S 30 E	7.71	
S 15 W	4.74	
S 35 W	7.84	
S 70 W	5.34	
S 45 W	5.12	
S 5 E	4.10	
S 70 E	4.22	
S 87 E	4.88	
S 74 E	4.65	
N 80 E	17.00	
S 86 E	8.83	
N 67 E	7.06	
S 45 E	10.23	At 2.25 A Stream 50 links wide. Cr. S. W.
S 21 E	2.20	
S 34 W	13.00	At 11 hrs. A Stream 16 links wide. N. W.
S 64 W	4.40	
S 41 W	1.89	
S 73 W	5.80	
S 85 W	8.42	
N 75 W	5.59	
N 77 W	10.68	
N 59 W	14.00	
N 84 W	13.58	At 8.42 line (N.) Sec. 10 & 11
		At 10.15 A Stream 25 links wide N. E.

---

N 39 W	5.31
N 14 W	6.86
N 12 E	8.00
N 12 W	15.00
N 14 E	7.69
N 37 E	5.42

201

T 33 A R 9 E 2nd Mer. Indiana

N 53 E 4.45 Intersect N line of Sec. 10 T11 at the  
place of beginning.  
At 2.50 a Stream 50 links wide. Course S W.  
Oct. 5<sup>th</sup> 1829

Meanders of a Lake in Sec. 9 & 10.  
Commencing at Post on the South side.

N 77 W 5.95  
N 50 W 5.58  
N 21 W 2.54  
N 21 E 3.15  
N 10 W 2.75  
N 41 E 1.75  
N 67 E 2.73  
N 87 E 4.50  
S 84 E 5.53 At 2.35 N line Thence

N 62 E 5.31 In Sec. 9 T10  
N 76 E 7.57  
N 80 E 2.87  
N 50 E 3.55  
S 28 E 3.00  
S 5 W 7.00  
S 14 E 2.03  
S 33 W 1.26 At 5 links a Stream 8 links wide Cr. East  
S 72 W 16.12  
N 85 W 6.34 North line of Sec. 9 T10 at the place  
of Beginning.

Meanders of a Lake in Sec. 10. First run  
a line from the corner of Sec. 3. 4 9 T10  
South to East. 4 chains & 25 links to Lake  
and set a Post. from which  
a B. Oak 18 in. diam. bears S 48 W 64 links dist.  
a Do 30 " " " N 28 E 99 " "  
Thence

## T33 N. R. 9 E 2nd Mer. Indiana.

N82E 5.50  
 S71E 3.61  
 S87E 2.62  
 N83E 4.80  
 S66E 9.53  
 S74E 20.00  
 S48E 12.14 At 10.81 A Stream 16 links wide. Cr. North  
 S35E 2.57  
 S18E 2.21  
 S29W 1.48  
 S73W 3.93  
 N85W 9.75  
 S73W 9.03  
 S80W 8.13  
 N81W 4.96  
 N53W 11.03  
 N32W 13.20 To place of Beginning  
 At 2.28 A Stream 12 links wide Course SE.

Meanders of a Lake in Sec 9 Commencing  
 at 92 Sec Post on line between Sec. 8 & 9  
 On the West bank.

North 10.50 with Sec line  
 N38E 3.63  
 N52E 4.52  
 N89E 6.13  
 S42E 5.80  
 S19E 11.62  
 S7W 6.83  
 S40W 6.31  
 S77W 3.24  
 N77W 6.39  
 N42W 7.54  
 North 3.95 With Section line to beginning.

Meanders of Lake commencing at Post on the

# S 33 N R 9 E 2nd Mer. Indiana

203

North side of the line between Sec. 28 & 29.

S 49 E	3.93	
S 59 E	2.87	
S 49 E	3.00	
S 56 E	10.54	
S 38 E	2.16	
S 54 E	2.05	
S 42 E	11.45	
S 22 E	5.29	
S 34 E	9.12	
S 16 E	3.50	
S 14 W	0.87	
S 11 E	8.07	
S 24 E	4.20	
S 33 E	7.65	
S 19 E	4.13	At 1.90 a. Stream 15 links wide. Course W.
S 8 W	4.21	
S 20 W	6.50	
S 7 E	1.84	
S 24 E	3.47	At 1.48 A Stream 16 links wide. S. W.
S 27 W	2.52	
S 50 W	5.65	
S 70 W	4.14	
S 88 W	2.26	
S 71 W	4.19	
S 45 W	3.89	
S 22 W	4.11	
S 45 W	2.30	
S 76 W	8.03	
S 89 W	3.00	
		2.42 Intersect N line of Sec. 32 & 33

---

S 84 W	10.95
S 83 W	9.53
S 61 W	1.40
S 89 W	1.27



T33 N. R 9 E 2<sup>nd</sup> Mer. Indiana

N31W 1.50

N89W 2.14

S73W 4.07

N62W 14.00

Oct 8<sup>th</sup> 1829

S63W 3.90

S66W 6.73

N61W 2.22

N87W 14.00

N88W 11.50

North 12.80

N10E 3.00

N45E 11.89

N36E 8.81

N29E 8.28 Intersect E. Sec line of 29 &amp; 32

East 14.50 With said line to  $\frac{1}{4}$  Sec. post

N49E 12.70

N52E 3.80

N37E 2.70

N52E 5.90

N69E 6.80

S88E 3.19 Intersect N line of Sec. 28 & 29  
at place of beginningMeanders of a Lake commencing at Post  
On S E corner of Lake on line of Town 32 & 33  
in Sec 31. T R 9 E.

East 9.19

N57E 4.83

N33E 3.00

N9E 6.45

N30W 5.05

N50W 6.85

N20W 20.84

N32W 11.22

N47W 7.00

# 205

## T33. A. R. 9 E 2<sup>nd</sup> Mer. Indiana

N 55 W 3.68

N 85 W 3.40 Intersect A line Ranges 8 + 9

Meanders of Lake commencing on Range line  
N bank of Lake in sec.<sup>s</sup> 7, 8, 17 + 18

Courses	Distances	Remarks
---------	-----------	---------

North	14.50	with the line
-------	-------	---------------

N 39 E	7.00	
--------	------	--

N 85 E	21.14	
--------	-------	--

N 76 E	9.80	
--------	------	--

S 69 E	21.00	
--------	-------	--

S 74 E	7.01	
--------	------	--

S 65 E	5.50	
--------	------	--

S 74 E	3.69	Intersect A. Sec 7 + 8
--------	------	------------------------

Oct 10<sup>th</sup> 1829

East	40.00	
------	-------	--

S 15 E	3.43	
--------	------	--

S 10 W	5.05	
--------	------	--

South	2.84	Intersect E sec. line of 8 + 17
-------	------	---------------------------------

S 13 E	4.00	
--------	------	--

S 13 W	10.29	
--------	-------	--

S 22 E	7.50	
--------	------	--

S 40 E	6.70	
--------	------	--

S 15 E	8.00	
--------	------	--

S 53 E	3.11	
--------	------	--

N 82 E	7.60	
--------	------	--

S 31 E	5.00	
--------	------	--

S 5 W	8.89	
-------	------	--

S 24 W	13.73	
--------	-------	--

S 31 W	24.40	
--------	-------	--

S 50 W	2.40	
--------	------	--

S 84 W	3.38	
--------	------	--

N 78 W	7.93	
--------	------	--

N 44 W	3.73	
--------	------	--

N 20 W	22.40	
--------	-------	--

T<sup>33</sup> R<sup>9</sup> E<sup>2</sup> 2nd Mer. Indiana

Courses	Distances	Remarks
N 50° W	19.84	At 12.70 Intersected A line Sec <sup>s</sup> 17 & 18
West	4.50	
S 25° W	12.55	
S 33° W	6.42	
S 55° W	4.54	
S 70° W	24.34	
S 88° W	8.64	
S 71° W	9.00	
S 89° W	3.40	
South	8.00	Intersect E line Sec <sup>s</sup> 18 & 19
West	14.03	With said line to cor. of Sec <sup>s</sup> 18 & 19 on Ranges 8 & 9.
Oct. 11 <sup>th</sup> 1829		

This Township was commenced the 2nd day  
of Oct. 1829 and finished the 11<sup>th</sup> of the same.  
Surveyed by  
David Willis.  
Dep Surveyor.

T 33 N. R 9 E. 2<sup>nd</sup> Mer. Indiana

207

Pursuant to a Contract dated the 14<sup>th</sup> of August 1829. and instructions from William Lytle Surveyor General of the United States. I have surveyed and subdivided into Sections Township No 33 North of Range No 9 East of the 2<sup>nd</sup> Mer. in the Fort Wayne district in the State of Indiana. And I certify that the foregoing are the correct and true Field Notes of the said survey and subdivisions. executed as aforesaid.

Certified this 30<sup>th</sup> day of November 1829

David Hallis  
Dep<sup>y</sup> Surveyor.

I Certify that the foregoing transcript of the field Notes of Township No 33 N. R. 9 E. of the 2<sup>nd</sup> Mer. in the Fort Wayne district, in the State of Indiana, has been compared with the original Notes in this Office and found to be Correct.

Surveyor General's Office, 3  
Cincinnati, April 25. 1845. 3

William Houston  
Sur. Gen.